

Travel in comfort and safety
with horse trailers from Humbaaur



**RIDE
ON**

Contents

The features of our horse trailers

Active driving safety	6 - 7
Passive safety	8 - 9
Space available for horse and rider	10 - 13
Good travel climate	14 - 15
More trailer highlights	16 - 17

Horse trailer model series

SINGLE®	20 - 27
EQUITOS® Alu	28 - 35
EQUITOS® Alu Plus	36 - 43
XANTHOS®	44 - 51
XANTHOS® Aero	52 - 59
NOTOS® Xtra Up	60 - 67
NOTOS® Xtra Pro	68 - 75
PEGASUS®	76 - 83
PEGASUS® Style	84 - 91
AREION®	92 - 95
AREION® Pure	96 - 97
AREION® Pro	98 - 99
AREION® Shape	100 - 101
AREION® Model overview	102 - 103

Spare parts and accessories

Interior design	106
Optics and style	108
Foal transport	109
Lighting and ventilation	110
Driving safety	111

Horsehacks – more info

Everything you need to know about your trailer	114
Colours	116
Decorations	118



RIDE ON

Travel in comfort and safety
with horse trailers from Humbaur

We put all our expertise into our product range of currently more than 420 trailer models, **designed and manufactured in Germany.**

Decades of expertise and experience in manufacturing – from small metal parts to polyester roofs or sandwich panels – combined with quality components from renowned manufacturers ensure that the trailers that leave our factory are sure to have a long **service life** and **high value** retention.

Our customers expect maximum safety and quality from their trailers, **especially when** transporting animals. From the design to the use of **high-quality materials and components**, we lay the foundations for a product that must **ensure full functionality** at all times.

The Humbaur quality management system is certified to DIN EN ISO 9001:2015 and KBA-ZM-A and is regularly reviewed. The Bavarian company is also certified by numerous commercial vehicle manufacturers as a construction and reconstruction partner for the vehicle body segment.

"As I myself am a rider, I know exactly what is important in a horsebox. Reliability, quick and easy handling and maximum safety are the top priorities. An attractive design rounds off the overall package perfectly."

*Have fun
with your horses
Yours, Monika Humbaur*



Monika Humbaur
Humbaur Holding MD
and passionate rider
with her horse, Farids





The
features
of our
horse trailers



Humbaur Horse

You can be sure that your horse is in the best hands and that both you and your horse will experience maximum safety and functionality. Just relax and enjoy the ride.

RIDE ON


Trust with confidence

Well designed down to the last detail



Trust with
confidence

Well designed down to the last detail



When equipping horse trailers, the well-being of the **horse** is always Humbaaur's priority. We are aware that horse owners are particularly demanding when it comes to the quality of the means of transport for their beloved animal friend. That's why you can expect the **highest quality** from idea to finished product with Humbaaur horse trailers.

Depending on requirements, we offer special features and additional components for our trailers that make travelling with a horse **even safer and more** comfortable.

Horse trailers

Features



Active driving safety

At Humbaaur, the active safety of the horse trailer starts with the design. Thanks to the low centre of gravity by design, Humbaaur trailers enjoy an impressively smooth ride – a bonus that has a positive effect on the horse's well-being during transport.





Our chassis systems

EquiDrive®

With its hot-dip galvanised side member chassis, the Humba **EquiDrive®** body offers maximum stability and therefore maximum safety. The structurally low centre of gravity ensures a smooth ride – a bonus that has a positive effect on the horse's well-being during transport.

Standard in the following models:

SINGLE Alu 1600
 EQUITOS Alu
 EQUITOS Alu Plus
 XANTHOS 2400
 XANTHOS Aero 2400
 PEGASUS 2400



EquiDrive® Plus

The **EquiDrive® Plus** chassis has more extensive technical features and thus provides additional comfort benefits and more safety for your horses during trailer transport.

The automatic adjustment function of the brakes guarantees that the trailer's braking behaviour remains consistently optimal and that the braking system is largely maintenance-free. These equipment features mean a total weight of up to 2.7 tonnes is also possible.

Standard in the following models:

XANTHOS 2700
 XANTHOS Aero 2700
 PEGASUS 2700
 AREION



EquiDrive® Plus S

With the **EquiDrive® PLUS S** coil spring suspension we use the latest technology from the car industry for safe ground contact, optimum road holding and perfect driving comfort. This ensures maximum safety for the horses while travelling, regardless of road conditions.

Standard in the following models:

NOTOS Xtra
 (other models not possible)



Passive safety and comfort

Safety first! Our horse trailers are equipped with state-of-the-art safety features so that you and your horse are always kept secure.



Safe transport: The EquiGuard® panic release

In an emergency, opens in seconds without tools: the **EquiGuard®** panic release. The system can be opened quickly and easily with a single hand movement, even from the inside. No tools are required for this, allowing you to react quickly in serious situations. When opened, only the chest bar or breech bar detaches from its fastening and remains attached to one side of the partition wall, preventing the bar from falling to the ground and posing a tripping hazard for the horse. All other parts remain fixed to the side wall. This significantly reduces the risk of injury to your horse.


Intuitive operation without any tools

The chest bar and breech bar can be easily clicked into place in seconds. There is no need to mount or fix parts of the mechanism to the wall. The **EquiGuard®** is also maintenance-free and easy to clean.

Standard in the following models:

- XANTHOS
- XANTHOS Aero
- PEGASUS
- NOTOS Xtra
- AREION

EquiLock® lockable partition wall



The **EquiLock®** lockable partition wall offers absolute safety for your animal friends even when the tailgate is open. In emergency situations, the partition wall cannot be moved unintentionally as the locking mechanism effectively prevents the rear bars from being pushed upwards. This means that the partition wall cannot be prised out, even when the tailgate is open, which significantly reduces the risk of injury to horses in the trailer.

With the lever folded in when closed, you can lock and unlock the **EquiLock®** partition wall yourself without much effort and, of course, open it wide to make access easier.

Standard in the following models:

EQUITOS Alu Plus
XANTHOS
XANTHOS Aero
PEGASUS
NOTOS Xtra
AREION



Removable feed troughs

Humbaur's removable feed troughs can be easily filled and later removed and cleaned. They are easily accessible from the respective horse at their holder on the front wall and can also be used outside the trailer.

Standard in the following models:

SINGLE Alu 1600 with saddle compartment
EQUITOS Alu with saddle compartment
EQUITOS Alu Plus
XANTHOS with saddle compartment
XANTHOS Aero
PEGASUS
NOTOS Xtra
AREION



Room for horse and rider

Generous space for your horse!
Discover the generous amount of room in our horse trailers - so that your animal friend feels completely at ease.

Side kick plate

The robust side kick plate protects the side walls from damage or rapid wear and tear caused by kicks from the horse.

This is achieved through a construction of **fibreglass mats manufactured according to our own patents**, which are impregnated with polypropylene in a second step. The side kick plate is therefore not only hard, but also **resistant to moisture and chemicals**. This ensures that dents and other damage to the side wall of the horse trailer can be safely avoided. If the step protection becomes worn, it is easy to replace.

Standard in the following models:

- SINGLE Alu 1600
- EQUITOS Alu Plus
- XANTHOS
- XANTHOS Aero
- PEGASUS
- NOTOS Xtra
- AREION



Freedom of movement and storage space:

EquiSpace®


The sophisticated **EquiSpace®** interior concept ensures **maximum space** for the horses in the trailer during transport and is integrated as standard in many models.

The divided, padded and moulded chest and breech bars can be mounted individually at three different levels and depths. This means that the standing area in the trailer can be precisely adjusted from small to large horses.

The proven locking system has been retained for safety reasons and in response to many customer requests.

Standard in all models

for transporting two horses.



High entry door

The large entry door with 3-point locking system makes loading and unloading extra convenient – no need to duck your head, no compromises.

Standard in the following models:
PEGASUS
NOTOS Xtra
AREION



Maximum space for horse and rider in the interior



➤ **15 YEAR GUARANTEE**
on our AluBiComp floors

Stable: AluBiComp – the floor that can handle anything

The floor panel of a trailer needs to withstand a lot. Dampness, temperature fluctuations, the weight and movements of horses – high quality is essential for a durable and safe solution.

The Humbaur AluBiComp floor is not only **moisture-resistant**, but also increases the payload of your horse trailer thanks to its **low weight** (30% less than wood). Thanks to its sophisticated composite panel construction (two cover layers made of specially coated aluminium sheets with a polypropylene plastic core), it is **rot-proof and non-malleable**. This means that the AluBiComp floor can easily withstand highly concentrated loads from heavy horses (thickness 21 mm).

The AluBiComp floor is fitted as standard in all our horse trailers.

Everything included: The **integrated** saddle compartment

Many models are already equipped with a saddle compartment as standard. The specifically developed aluminium door frame profile with three-point lock ensures optimum closing comfort and a high level of tightness in the saddle compartment.

Standard in all models
except EQUITOS and XANTHOS





Saddle compartment features

- Removable feeding troughs that are easily accessible for the horse incl. holder on the front wall
- Battery-powered interior light with motion detector that stays on even without a towing vehicle, can also be used as a mobile torch
- Shovel and broom
- Storage compartment and rod (on all AERO models)
- Mirror and storage net
- Bridle holder
- Universal hooks (e.g. for spurs)
- Drainage opening for easy cleaning



"Do you want to enjoy your time with your horse and not spend forever searching for things or getting bogged down in complicated procedures? That is why our trailers have a functional design that ensures quick and easy operation. For more wonderful time with your horse."

Monika Humbaur



Relaxed travel in a pleasant climate



Vent windows

The tinted and five-way adjustable vent windows provide an **optimum air supply** from the front.



Windflap

The Humbaer windflap offers **draught-free interior ventilation** thanks to the ventilation openings integrated into the all-polyester tailgate. Rainwater is diverted. The windflap is also equipped with a **folding system**, so that the **integrated gas pressure dampers** guarantee easy, one-handed opening and smooth sliding upwards and fixing. (Accessories)



Standard in all models



Pleasant lighting

Our interior light ensures a stress-free journey in the trailer, allowing you to choose between white and blue light via a touch sensor. In addition, the luminaire has an IP protection class of 6K9K, making it dustproof and protected against water during high-pressure/steam jet cleaning.



LED stripes on the AREION



Wind deflector

The standard Humbaur wind deflector ensures **draft-free ventilation** and continuous air circulation. The fine-pored mesh allows air to circulate and **repels rainwater**. The wind deflector is also equipped with an easy-roll system, so that it rolls up **quickly and quietly** when opened – the horses will not be startled by the roller blinds springing up. The fine pores of the mesh allow sufficient light through and **guarantee a bright interior**.

Fresh air without any draughts.
Easy, quiet opening.
The Humbaur wind deflector



Further highlights

Easy to clean

Our RTM process (Resin Transfer Moulding) – a resin injection process with closed moulds – creates lightweight components (e.g. roof hoods, saddle compartments or the side walls) which have very smooth surfaces on both sides. They are **stain resistant** and therefore **easy to clean**.




First-class service

Our extensive network of trading partners and workshops provides expert advice when purchasing and quick assistance when servicing. All over Europe!

Find your nearest dealer or service partner easily online via our search function:



Find your dealer now!
humbaur.com/en/dealerservice/dealer-search





STYLE UP YOUR RIDE

Design and colour variety



Humbaaur offers you a wide range of colours for your full-poly trailer! You can also choose from a wide range of motifs and designs.

More information can be found on [pages 116-119](#)




Long-term availability of accessories and spare parts

All Humbaaur products are designed to remain operational and perform reliably even under regular use. Should your trailer require a repair in the course of its long life nevertheless, a Humbaaur horse trailer is a sound decision because spare parts will remain available for many years.

Our

horse trailers

Model series





Humbaur Horse

Freedom.
Confidence.
Together.
To the horizon
and beyond.

RIDE ON

A white silhouette of a horse's head in profile, facing right, is positioned inside the right vertical stroke of the large white letter 'N' in the 'RIDE ON' text.

Enjoy more time.

Easiest usability
and highest
functionality

A large, white, outlined arrow graphic pointing to the right, located at the bottom right of the advertisement.

The solo transporter for your horse.

Always safe on the road with a horse and foal. The compact SINGLE Alu does not **compromise on quality, however.**

The solid outer frame and rear hinges are made of hot-dip galvanised sheet steel. The structure is based on double-walled, anodised aluminium profiles. This will ensure that you can enjoy your trailer for **long time** to come.



SING



GLE®

SINGLE[®]

Highlights at a glance

 Space for 1 horse with foal

The Solo Transporter.

The SINGLE 1600 model from Humbaar is the perfect solution for anyone travelling with just one horse plus no more than one foal. The solid basic equipment with hot-dip galvanised chassis and solid outer frame ensures the durability of your trailer.

The robust **AluBiComp floor**, which comes with a **15-year guarantee** against rot, is another high-quality aspect of this entry-level transporter model.



Safe on the road

Even the entry-level model SINGLE 1600 is equipped with the **EquiDrive[®]** chassis, because we attach great importance to active driving safety. The trailer's low centre of gravity by design ensures good traction and smooth running.



EquiDrive[®]
chassis



AluBiComp
floor



More information
on the Single online
humbaar.com/en/trailer/horse-trailers/single

Always safe on the road
with a horse and foal



SINGLE[®]

Features

STANDARD FEATURES

EquiDrive[®] chassis

Bolted V-drawbar

Preparation for wheel shock absorbers

Construction from high-quality, anodised aluminium profiles, 18 mm thick

13-pin plug, with reversing light and rear fog light

AluBiComp floor, 21 mm,

➤ **15 YEAR GUARANTEE**

Rubber flooring, 8 mm, glued and sealed

Solid, circumferential and hot-dip galvanised frame profile

Elegant, galvanised rear support with integrated lighting

Side kick plate

Entry door with 3-point locking system

Overflow flap with rubber granulate mat

Full-length chest and rear bar, height and length adjustable, with panic release

Exclusive wind deflector for draught-free interior ventilation

Tinted vent windows in poly canopy

Interior lighting

Automatic support wheel, centrally mounted, with manoeuvring handle

Poly hood in grey and other metallic colours (accessory)

Tyres suitable for 100 km/h (Germany only)



Entry

Large access door with 3-point locking mechanism



Structure

Side walls made from double-walled, anodised aluminium profiles



Interior

With side kick plate



Floor


Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 -0** or via email at **info@humbaur.com**

SINGLE[®]



Model overview



SINGLE ALU 1600

Weight in kg	690
Load capacity in kg	910
Total permissible weight in kg	1600
Overall dimensions in mm (LxWxH)	4557 x 1825 x 2886
Interior dimensions in mm (LxWxH)	3222 x 1302 x 2310
Load height in mm	430
Tyres in inches	13
Braked	✓
Number of transportable animals	
Towing vehicle Check	
Driving licence	B96 BE
EquiDrive® chassis	●
EquiDrive® Plus chassis	-
EquiDrive® Plus S coil spring suspension	-
EquiSpace® concept	-
EquiGuard® panic release	○
Adjustable box rods (height and length)	●
AluBiComp floor > 15 YEAR WARRANTY	●
EquiLock® partition wall	-
Saddle compartment (standard)	○
Saddle compartment w/ extendible saddle holder	-
Side kick plate	●
Side padding	○
Sliding window	-
Panoramic window	-
Front exit	-
GRP mudguard with LED lighting	-
Improved aerodynamics	●
Door with full passage height to the interior	-
Flat angle of entry (<14°)	-
Rotating and swivelling rear door	○
Colour selection for poly parts	○
Western Edition	-
Removable feeding troughs	○
LED interior lighting	●



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car	Large car	● Standard equipment
Medium car	Pickup truck/Transporter	○ Optional
B B96 BE	→ Minimum required Driving licence	- Not available

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



EQUITO ALL



OS[®]

Even the EQUITOS models, which we have developed for cost-conscious hobbyist riders, have impressive basic equipment that makes a trailer trip a safe, calm experience for every horse.

Solid construction and high-quality components promise riding enthusiasts a **trailer that combines optimal durability, safety and easy handling.**

EQUITOS[®] ALU

Highlights at a glance



Room for two horses

Lightweight.

Made for newcomers: light, easy to handle and with everything you need as an ambitious horse owner to transport your animal friends.

With components that ensure a long service life: **Made from double-walled, anodised aluminium profiles** and high-quality, robust **AluBiComp floor** with a **15 year warranty** against rot.



Safe on the Road.

EQUITOS Alu horse trailers are equipped with **EquiDrive[®]** chassis, which, in addition to the trailer's low centre of gravity by design, ensures good traction and active driving safety.



EquiDrive[®]
chassis



AluBiComp
floor



More information on the Equitos Alu online
humba.com/en/trailer/horse-trailers/equitos/equitos-alu

Refreshingly different

**New
model**



New design

Improved aerodynamics

More headroom for your beloved horse

Thanks to spoilers on the rear polyester hood, air turbulence occurs behind the trailer rather than inside it, **making it more comfortable for the horses.**



Plenty of room.

Generous space for two horses thanks to the well designed **EquiSpace® interior concept.**



EquiSpace®
concept

EQUITOS[®] ALU

Features

STANDARD FEATURES

- EquiDrive[®] chassis
- Preparation for wheel shock absorbers
- 13-pin plug with reversing and fog lights
- AluBiComp floor 21 mm,
> 15 YEAR WARRANTY
- Rubber floor, 8 mm thick; glued and sealed
- Made of double-walled, anodised aluminium profiles
- Solid, circumferential and galvanised frame profile
- Elegant, galvanised rear support with integrated lighting
- Large entrance door with 3-point locking system
- Overflow flap with rubber granulate mat
- Split chest and rear bars, chest bars with panic release
- Tinted vent windows in poly canopy
- Interior lighting and hay net ring
- Automatic support wheel, centrally mounted, with manoeuvring handle
- Polycarbonate hood in black metallic or silver metallic
- Exclusive wind deflector for draught-free interior ventilation
- Tyres suitable for 100 km/h (Germany only)



Interior

Generous space for two horses thanks to the well-designed Humbaer **EquiSpace[®]** interior concept



Space for two horses



EquiDrive[®] chassis



EquiSpace[®] concept



AluBiComp floor



Extra large access doors



Structure

Side walls made from double-walled, anodised aluminium profiles



Floor

Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot



Roof construction

Polycarbonate bonnet in black metallic with tinted windows and improved aerodynamics



New design

Improved aerodynamics

More headroom for your beloved horse



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 -0** or via email at **info@humba.com**

EQUITOS[®] ALLI






Model overview



MODEL NAME	EQUITOS ALU 2000	EQUITOS ALU 2400
Weight in kg	773	797
Load capacity in kg	1 227	1 603
Total permissible weight in kg	2 000	2 400
Overall dimensions in mm (LxWxH)	4 604 x 2 175 x 2 780	4 604 x 2 175 x 2 780
Interior dimensions in mm (LxWxH)	3 157 x 1 654 x 2 350	3 157 x 1 654 x 2 350
Load height in mm	415	415
Tyres in inches	13	15
Braked	✓	✓
Number of transportable animals		
Towing vehicle Check		
Driving licence	B96 BE	B96 BE
EquiDrive® chassis	●	●
EquiDrive® Plus chassis	-	-
EquiDrive® Plus S coil spring suspension	-	-
EquiSpace® concept	●	●
EquiGuard® panic release	-	-
Adjustable box rods (height and length)	○	○
AluBiComp floor ▶ 15 YEAR WARRANTY	●	●
EquiLock® partition wall	○	○
Saddle compartment (standard)	○	○
Saddle compartment w/ extendible saddle holder	○	○
Side kick plate	○	○
Side padding	○	○
Sliding window	-	-
Panoramic window	-	-
Front exit	-	-
GRP mudguard with LED lighting	-	-
Improved aerodynamics	●	●
Door with full passage height to the interior	-	-
Flat angle of entry (<14°)	-	-
Rotating and swivelling rear door	○	○
Colour selection for poly parts	-	-
Western Edition	-	-
Removable feeding troughs	○	○
LED interior lighting	●	●



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car Large car ● Standard equipment
 Medium car Pickup truck/Transporter ○ Optional
B **B96** **BE** → Minimum required Driving licence - Not available

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



EQUITO ALLU PLUS



OS[®]

The EQUITOS Alu Plus models impress with their **extensive standard features**, such as the **Humbaur EquiSpace[®] interior concept**, which promises plenty of space for the horse to move around.

It also comes with a **lockable saddle compartment** with saddle holder, bridle holder, mirror and net.

EQUITOS[®] ALU PLUS

Highlights at a glance

 Room for two horses

Entering made easy.

Aerodynamic, robust and easy to handle: With an aluminium body and **aerodynamic poly roof** the EQUITOS Alu Plus is efficient and practical. It offers **ample space** for two horses and a **standard saddle compartment**.



Integrated safety.

Standard issue with the **EquiDrive[®]** chassis for active driving safety.



More information on the Equitos Alu Plus online
humbaur.com/en/trailer/horse-trailers/equitos/equitos-alu

Budget-friendly and solid.

**New
model**

New design

Improved aerodynamics

More headroom for your beloved horse



Entry.

Large access door with 3-point locking mechanism



Extra large
access doors



EQUITOS® ALU PLUS

Features

STANDARD FEATURES

- EquiDrive® chassis
- Tyres suitable for speeds of up to 100 km/h (Germany only).
- 13-pin connector with reversing lights and fog lamp
- AluBiComp floor, 21 mm,
▶ **15 YEAR WARRANTY**
- Rubber floor, 8 mm thick, glued and sealed
- Made of double-walled, anodised aluminium profiles
- Solid, circumferential and galvanised frame profile
- Elegant, galvanised rear support with integrated lighting
- Large entrance door with 3-point locking system
- Tinted vent windows in poly canopy
- Interior lighting and hay net ring
- Exclusive wind deflector for draught-free interior ventilation
- Automatic support wheel, centrally mounted, with manoeuvring handle
- Polycarbonate hood in black metallic or silver metallic

Additional features for the Equitos Alu model:

- ▶ Side kick plate
- ▶ Lockable saddle compartment with saddle holder, Bridle holder, mirror, net
- ▶ Rear flap with rubber treads
- ▶ EquiLock® – lockable partition wall
- ▶ Wheel shock absorbers (100 km/h, Germany only)
- ▶ Split and height-adjustable chest and breech bars with panic release

Structure

Side walls made from double-walled, anodised aluminium profiles



Interior quality

Tinted vent windows, adjustable five ways for individual ventilation and wind deflector for draft-free fresh air supply



Space for two horses



EquiDrive® chassis



EquiSpace® concept



AluBiComp floor




EquiLock® partition wall



Extra large access doors



Extra-large saddle compartment



Floor

Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot



Roof construction

Polycarbonate bonnet in black metallic with tinted windows and improved aerodynamics



New design

Improved aerodynamics

More headroom for your beloved horse



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 -0** or via email at **info@humba.com**

EQUITOS[®] ALU PLUS






Model overview



MODEL NAME	EQUITOS ALU PLUS 2000	EQUITOS ALU PLUS 2400
Weight in kg	863	887
Load capacity in kg	1 137	1 513
Total permissible weight in kg	2 000	2 400
Overall dimensions in mm (LxWxH)	4604 x 2 175 x 2 780	4604 x 2 175 x 2 780
Interior dimensions in mm (LxWxH)	3 157 x 1 654 x 2 350	3 157 x 1 654 x 2 350
Load height in mm	415	415
Tyres in inches	13	15
Braked	✓	✓
Number of transportable animals		
Towing vehicle Check		
Driving licence	B96 BE	B96 BE
EquiDrive® chassis with wheel shock absorbers (100 km/h, Germany only)	●	●
EquiDrive® Plus chassis	-	-
EquiDrive® Plus S coil spring suspension	-	-
EquiSpace® concept	●	●
EquiGuard® panic release	-	-
Adjustable box rods (height and length)	●	●
AluBiComp floor > 15 YEAR WARRANTY	●	●
EquiLock® partition wall	●	●
Saddle compartment (standard)	●	●
Saddle compartment w/ extendible saddle holder	○	○
Side kick plate	●	●
Side padding	○	○
Sliding window	-	-
Panoramic window	-	-
Front exit	-	-
GRP mudguard with LED lighting	-	-
Improved aerodynamics	●	●
Door with full passage height to the interior	-	-
Flat angle of entry (<14°)	-	-
Rotating and swivelling rear door	○	○
Colour selection for poly parts	-	-
Western Edition	-	-
Removable feeding troughs	●	●
LED interior lighting	●	●



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car Large car ● Standard equipment
 Medium car Pickup truck/Transporter ○ Optional
B → Minimum required Driving licence - Not available

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



XANTH

The multi-talented one
So lightweight,
so versatile.



OS[®]

The high-quality all-rounder:
Aluminium body and polyester roof
with **generous space for two horses**.

A saddle compartment is available
as an option.

XANTHOS®

Highlights at a glance



Simply good.

Lightweight, robust with easy handling: with its aluminium body and polyester roof, the XANTHOS is one of the lighter models in the Humbaur product range. XANTHOS models offer generous space for two horses as well as an optional saddle compartment.



Integrated safety.

Depending on the model, XANTHOS light trailers have different **EquiDrive®** chassis variants that ensure active driving safety. An additional safety feature is the **EquiGuard®** panic release, which guarantees quick and easy opening of the chest and rear bars in case of emergency.



More information
on the Xanthos online
humbaur.com/en/trailer/horse-trailers/xanthos

The aluminium profile side structure and polyester roof ensure low weight and good handling. With EquiLock® partition as standard.



Plenty of room.

Maximum space for the horses thanks to the well designed Humba **EquiSpace®** interior concept



EquiSpace®
concept

XANTHOS®

Features

STANDARD FEATURES

- EquiDrive® chassis with wheel shock absorbers
- Constructed from double-walled, anodised aluminium profiles
- Side kick plate
- 13-pin connector with reversing lights and fog lamp
- AluBiComp floor plate, 21 mm thick,
▶ **15 YEAR WARRANTY**
- Rubber floor, 8 mm thick, glued and sealed
- Solid, hot-dip galvanised all-round frame profile
- Elegant, hot-dip galvanised rear supports with integrated lighting
- Access door with 3-point locking mechanism
- Access ramp with rubber floor and side stop
- Split and padded chest and breech bars, adjustable height and width, with EquiGuard® panic release
- EquiLock® lockable partition wall
- Redesigned tinted vent windows that can be adjusted five ways
- Interior lighting and hay net ring
- Exclusive wind deflector for draught-free interior ventilation
- Automatic jockey wheel, centre-mounted with manoeuvring handle
- Poly hood in various metallic colours
- Approved for 100 km/h (Germany only)



Interior

Maximum space for the horses thanks to the well designed Humbauro **EquiSpace®** interior concept



Space for two horses



EquiDrive® chassis



EquiSpace® concept



AluBiComp floor



EquiLock® partition wall



Extra large access doors



EquiGuard® panic release

Structure

Side walls made from double-walled, anodised aluminium profiles



Interior quality

Tinted vent windows, adjustable five ways for individual ventilation and wind deflector for draft-free fresh air supply

Floor


Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 -0** or via email at **info@humba.com**

XANTHOS[®]





XANTH



OS AERO®

The all-rounder

streamlined
and energy-saving.

Thanks to the AERO-Bug, less disturbing wind noise, low air resistance and reduced fuel consumption. With the **EquiSpace®** concept and the safety-plus **EquiGuard®** panic release.

XANTHOS[®] AERO

Highlights at a glance

 Room for two horses

top cW value.

The XANTHOS Aero models are designed to optimise aerodynamics. This has three positive effects: **Low air resistance.** **Less wind noise in the interior.** And **minimised fuel costs.** Another positive side effect: **the saddle compartment with 20% more storage space.**



Aerodynamic design



Extra-large saddle compartment



More information on the Xanthos Aero online
humbaur.com/en/trailer/horse-trailers/xanthos/xanthos-aero



Watch the product video now
youtube.com/watch?v=R_gZOcanr6s

Plenty of space and headroom for two horses and 20% more room in the saddle compartment thanks to the aerodynamically designed front.



Safe on the Road.

Depending on the model, XANTHOS horse trailers have different **EquiDrive®** chassis variants which, combined with the trailer's low centre of gravity, ensure good traction and active driving safety. An additional safety feature is the **EquiGuard®** panic release, which ensures quick and easy opening of the chest and rear bars in case of emergency.



EquiDrive® PLUS S
coil spring suspension
available, see model overview



EquiGuard®
panic release



XANTHOS® AERO

Features

STANDARD FEATURES

- EquiDrive® chassis with wheel shock absorbers
- Constructed from double-walled, anodised aluminium profiles
- The lockable saddle compartment also features a saddle holder, bridle holder, mirror, net, interior lighting, shovel and broom
- AERO-dynamic front
- 13-pin connector with reversing lights and fog lamp
- Side kick plate
- AluBiComp floor, 21 mm thick, **> 15 YEAR WARRANTY**
- Rubber floor, 8 mm stark, glued in and sealed
- Solid, hot-dip galvanised all-round frame profile
- Elegant, hot-dip galvanised rear support with integrated lighting
- Entrance and saddle compartment door with 3-point locking system
- Access ramp with rubber floor and side stop
- Height and length adjustable split and padded chest and breech bars with EquiGuard® panic release
- EquiLock® lockable partition wall
- Redesigned tinted vent windows that can be adjusted five ways
- Interior lighting and hay net ring
- Exclusive wind deflector for draught-free interior ventilation
- Automatic jockey wheel, centre-mounted with manoeuvring handle
- Poly hood in various metallic colours
- 100 km/h approval (Germany only)



Interior
 Maximum space for the horses thanks to the well designed Humbaaur EquiSpace® interior concept



Space for two horses



EquiDrive® chassis



EquiSpace® concept



AluBiComp floor



EquiLock® partition wall



Extra large access doors



Extra-large saddle compartment



Aerodynamic design



EquiGuard® panic release


Interior quality

Tinted vent windows, adjustable five ways for individual ventilation and wind deflector for draught-free fresh air supply



Structure

Side walls made from double-walled, anodised aluminium profiles



Saddle compartment

Lockable, with saddle holder, bridle holder, mirror, net and 20% more volume.



Floor

Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humba.com**

XANTHOS[®] AERO





Model overview



MODEL NAME	XANTHOS AERO 2400	XANTHOS AERO 2700
Weight in kg	855	859
Load capacity in kg	1545	1841
Total permissible weight in kg	2400	2700
Overall dimensions in mm (LxWxH)	4592 x 2235 x 2875	4592 x 2235 x 2855
Interior dimensions in mm (LxWxH)	3447 x 1714 x 2364	3447 x 1714 x 2364
Load height in mm	445	445
Tyres in inches	15	15
Braked	✓	✓
Number of transportable animals		
Towing vehicle Check		
Driving licence		
EquiDrive® chassis	●	-
EquiDrive® Plus chassis	-	●
EquiDrive® Plus S coil spring suspension	-	-
EquiSpace® concept	●	●
EquiGuard® panic release	●	●
Adjustable box rods (height and length)	●	●
AluBiComp floor > 15 YEAR WARRANTY	●	●
EquiLock® partition wall	●	●
Saddle compartment (standard)	●	●
Saddle compartment w/ extendible saddle holder	○	○
Side kick plate	●	●
Side padding	○	○
Sliding window	-	-
Panoramic window	-	-
Front exit	-	-
GRP mudguard with LED lighting	-	-
Improved aerodynamics	●	●
Door with full passage height to the interior	-	-
Flat angle of entry (<14°)	-	-
Rotating and swivelling rear door	○	○
Colour selection for poly parts	○	○
Western Edition	○	○
Removable feeding troughs	●	●
LED interior lighting	●	●



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car
 Medium car

Large car
 Pickup truck/Transporter

● Standard equipment

○ Optional

- Not available

→ Minimum required Driving licence

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



NOTOS[®]

XTRA UP

It goes **up!**



2,400 mm interior height - that's a record among Humbaur horse trailers! However, the NOTOS Xtra models not only impress with plenty of headroom for the horses, but also with a **full-height walk-in saddle compartment** that can easily accommodate all the equipment for horse and rider.


NOTOS[®] XTRA UP

Highlights at a glance



The new standard for safety.

With NOTOS Xtra trailers, the **EquiDrive[®] Plus S coil spring suspension** comes into play. This technology from the automotive industry ensures smooth running and active driving safety. The rotating and swivelling central post divider **and divided and padded chest** and breech bars help keep the horses well protected during transportation. Both the height and length of the **bars can be adjusted and they feature the EquiGuard[®] panic release function**.



Full-height access.

Full-height access door on the right with sliding window (not available on front exit on the right) into the horse compartment and full-height access door on the left with sliding window into the saddle compartment



EquiDrive[®] PLUS S
coil spring suspension
available, see model overview




EquiGuard[®]
panic release



More information on the
Notos Xtra Up online

humbaur.com/en/trailer/horse-trailers/notos/notos-xtra

With the largest saddle compartment among the NOTOS Xtra models – equipped with a folding saddle rack, bridle rack, mirror, net, interior lighting, shovel and broom, folding seat and boot jack



Interior.

Featuring EquiLock® lockable partition and side kick plate



EquiLock® partition wall

NOTOS[®] XTRA UP

Features

STANDARD FEATURES

With EquiDrive[®] PLUS S chassis with coil spring suspension and wheel shock absorbers

Approved for 100 km/h (Germany only)

Made from double-walled, anodised aluminium profile

13-pin connector with reversing lights and fog lamp

Access ramp with rubber floor and side stop and step

Side kick plate

Elegant, hot-dip galvanised rear side wall supports

Full-height side compartment door on the left with sliding window and 3-point locking system

Full-height access door to the horse compartment on the right with sliding window and 3-point locking system

AluBiComp floor, 21 mm thick,
> 15 YEAR WARRANTY

Rubber floor, 8 mm, glued in and sealed

Height and length adjustable split and padded breast and breech bars with EquiGuard[®] panic release function

Lockable, walk-in saddle compartment with saddle holder and folding seat, boot jack, bridle holder, mirror, net, interior lighting, shovel and broom.

Two sliding windows on both the left and right in the horse compartment

Central post divider can rotate and swivel

Wind deflector for draught-free interior ventilation

Interior lighting and hay net ring

Side walls made from aluminium, polyester roof and front available in various metallic colours

Plastic mudguards

Automatic jockey wheel, centre-mounted with manoeuvring handle



Interior

Maximum space for the horses thanks to the well designed Humbaure EquiSpace[®] interior concept



Space for two horses



EquiDrive[®] PLUS S coil spring suspension



EquiSpace[®] concept



AluBiComp floor



EquiLock[®] partition wall



Extra large access doors



Extra-large saddle compartment



EquiGuard[®] panic release

Body


Side walls made from double-walled, anodised aluminium profiles, polyester roof and front

Polyester roof and front available in various metallic colours



Easy entry

Full-height access door on the right with sliding window (not available on front exit on the right) into the horse compartment and full-height access door on the left with sliding window into the saddle compartment



Floor

Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humbaur.com**

NOTOS[®] XTRA UP






Model overview



MODEL NAME

NOTOS XTRA UP 2700

Weight in kg	1 234
Load capacity in kg	1 466
Total permissible weight in kg	2 700
Overall dimensions in mm (LxWxH)	5 460 x 2 240 x 2 890
Interior dimensions in mm (LxWxH)	4 132 x 1 714 x 2 400
Load height in mm	430
Tyres in inches	15
Braked	✓
Number of transportable animals	
Towing vehicle Check	
Driving licence	
EquiDrive® chassis	–
EquiDrive® Plus chassis	–
EquiDrive® Plus S coil spring suspension	●
EquiSpace® concept	●
EquiGuard® panic release	●
Adjustable box rods (height and length)	●
AluBiComp floor ➤ 15 YEAR WARRANTY	●
EquiLock® Partition wall	○
Saddle compartment (walk-in)	●
Side kick plate	●
Side padding	○
Sliding window	●
Panoramic window	○
Front exit	–
GRP mudguard with LED lighting	–
Improved aerodynamics	●
Door with full passage height to the interior	●
Flat angle of entry (<14°)	–
Rotating and swivelling rear door	○
Colour selection for poly parts	●
Western Edition	–
Removable feeding troughs	●
LED interior lighting	–



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car	Large car	● Standard equipment
Medium car	Pickup truck/Transporter	○ Optional
B	B96	– Not available
BE	➔ Minimum required Driving licence	

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



NOTOS[®]

XTRA PRO

Professional and multifunctional.



2,400 mm interior height - that's a record among Humbaur horse trailers! However, the NOTOS Xtra models not only impress with plenty of headroom for the horses, but also with a **full-height walk-in saddle compartment** that can easily accommodate all the equipment for horse and rider.


NOTOS[®] XTRA PRO

Highlights at a glance




Easy access.

Full-height access door on the right with sliding window (not available on front exit on the right) into the horse compartment and full-height access door on the left with sliding window into the saddle compartment



The new standard for safety.

With NOTOS Xtra trailers, the **EquiDrive[®] Plus S adjustable suspension** comes into play. This technology from the automotive industry ensures smooth running and active driving safety.



More information on the Notos Xtra Pro online

humbaur.com/en/trailer/horse-trailers/notos/notos-xtra

Plenty of space for horses and riders.
 With its spacious interior design and walk-in saddle compartment, it leaves nothing to be desired.



Plenty of room.

Maximum space for the horses thanks to the well designed Humbaour **EquiSpace®** interior concept



NOTOS[®] XTRA PRO

Features

STANDARD FEATURES

With EquiDrive[®] PLUS S chassis with coil spring suspension and wheel shock absorbers

Approved for 100 km/h (Germany only)

Made from double-walled, anodised aluminium profile

13-pin connector with reversing lights and fog lamp

Access ramp with rubber floor and side stop and step

Side kick plate

Elegant, hot-dip galvanised rear side wall supports

Full-height access door on the right with sliding window (not applicable with front exit on the right) into the horse compartment and full-height access door on the left with sliding window into the saddle compartment

AluBiComp floor, 21 mm thick,

➤ **15 YEAR WARRANTY**

Rubber floor, 8 mm, glued in and sealed

Height and length adjustable split and padded chest and breech bars with EquiGuard[®] panic release

The lockable saddle compartment also features a Western saddle holder, bridle holder, mirror, net, interior lighting, shovel and broom

Two shelves in the saddle compartment

Tinted sliding windows, two on the left and two on the right in the horse compartment

Centre post partition wall, rotatable and swivelling

Wind deflector for draught-free interior ventilation

Interior lighting and hay net ring

Aluminium side wall, polyester cover and polyester hood available in various metallic colours

Plastic mudguards

Automatic jockey wheel, centre-mounted with manoeuvring handle



Front exit with rubber treads (accessories)

Interior

Maximum space for the horses thanks to the well designed Humbaaur **EquiSpace[®]** interior concept



Space for two horses



EquiDrive[®] PLUS S coil spring suspension



EquiSpace[®] concept



AluBiComp floor



EquiLock[®] partition wall



Extra large access doors



Extra-large saddle compartment




EquiGuard[®] panic release

Body

Side walls made from double-walled, anodised aluminium profiles, polyester roof and front



Polyester roof and front available in various metallic colours



Floor

Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot



Interior quality

Sliding windows, adjustable five ways for individual ventilation and wind deflector for draft-free fresh air supply



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humbaur.com**

NOTOS[®] XTRA PRO



STYLE UP YOUR RIDE

Design and colour variety



More information can be found on
➤ pages **116-119**




Model overview



MODEL NAME

NOTOS XTRA PRO 2700

Weight in kg	1 231
Load capacity in kg	1 469
Total permissible weight in kg	2 700
Overall dimensions in mm (LxWxH)	5 460 x 2 240 x 2 890
Interior dimensions in mm (LxWxH)	4 132 x 1 714 x 2 400
Load height in mm	430
Tyres in inches	15
Braked	✓
Number of transportable animals	
Towing vehicle Check	
Driving licence	
EquiDrive® chassis	–
EquiDrive® Plus chassis	–
EquiDrive® Plus S coil spring suspension	●
EquiSpace® concept	●
EquiGuard® panic release	●
Adjustable box rods (height and length)	●
AluBiComp floor > 15 YEAR WARRANTY	●
EquiLock® Partition wall	●
Saddle compartment (walk-in)	●
Side kick plate	●
Side padding	○
Sliding window	●
Panoramic window	○
Front exit	●
Front exit with rubber treads	○
GRP mudguard with LED lighting	–
Improved aerodynamics	●
Door with full passage height to the interior	●
Flat angle of entry (<14°)	–
Rotating and swivelling rear door	○
Colour selection for poly parts	●
Western Edition	–
Removable feeding troughs	●
LED interior lighting	–



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car	Large car	● Standard equipment
Medium car	Pickup truck/Transporter	○ Optional
B	B96	– Not available

→ Minimum required Driving licence

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



PEGASUS



US[®]

The comfortable one

Lots of room,
well thought-out details.

Premium horse trailer with
top features and generous space
**for discerning horse owners
and professionals**

PEGASUS[®]

Highlights at a glance



Room for two horses

Comfort and style.

The **aerodynamically-shaped Polybug** not only reduces air resistance, but is also designed so that minders can use an **extra high saddle** compartment.

With an interior height of 2,370 mm, the **EquiSpace[®]** concept of the PEGASUS transport trailers provides plenty of headroom for the horse. Side step protection and the EquiLock[®] partition wall come as standard.



Safe on the Road.

Depending on the model, PEGASUS horse trailers have different **EquiDrive[®]** chassis variants which, combined with the trailer's low centre of gravity, ensure good traction and active driving safety. An additional safety feature is the **EquiGuard[®]** panic release, which ensures quick and easy opening of the chest and rear bars in case of emergency.



EquiDrive[®] PLUS S
coil spring suspension
available, see model overview



EquiGuard[®]
panic release



More information on the
Pegasus online

humbaur.com/en/trailer/horse-trailers/pegasus/pegasus

Plenty of headroom and generous space for horses and equipment



Easy entry.

Full-height access door with 3-point locking mechanism



PEGASUS[®]

Features

STANDARD FEATURES

- EquiDrive[®] chassis with wheel shock absorbers
- Constructed from double-walled, anodised aluminium profiles
- The lockable saddle compartment also features a saddle holder, bridle holder, mirror, net, interior lighting, shovel and broom
- Aerodynamic poly-aluminium body
- 13-pin connector with reversing lights and fog lamp
- Side kick plate
- AluBiComp floor, 21 mm thick, **➤ 15 YEAR WARRANTY**
- Rubber floor, 8 mm stark, glued in and sealed
- Solid, hot-dip galvanised all-round frame profile
- Elegant, hot-dip galvanised rear support with integrated lighting
- Full-height entrance and saddle compartment door with 3-point locking system
- Access ramp with rubber floor and side stop
- Height and length adjustable
- split and padded chest and breech bars with EquiGuard[®] panic release
- EquiLock[®] lockable partition wall
- Redesigned tinted vent windows that can be adjusted five ways
- Interior lighting and hay net ring
- Exclusive wind deflector for draught-free interior ventilation
- Automatic jockey wheel, centre-mounted with manoeuvring handle
- Poly hood in various metallic colours
- 100 km/h approval (Germany only)



Interior

Maximum space for the horses thanks to the well designed Humbaaur EquiSpace[®] interior concept




Interior quality

tinted vent windows, adjustable five ways for individual ventilation and wind deflector for draught-free fresh air supply



Wide range of accessories

2 suspended feed troughs, left and right side cushions, tinted hinged windows, interior lighting, hay net ring, wind deflector for draught-free interior ventilation



Saddle compartment

Lockable saddle compartment with extendable saddle holder



Floor

Robust AluBiComp floor, 21 mm thick with **> 15 YEAR GUARANTEE** against rot

"As an equestrian instructor, I always strive for the best and never compromise. Neither for my horse nor for myself."

Isabella Moßburger



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 -0** or via email at **info@humbaur.com**

PEGASUS®





Model overview



MODEL NAME	PEGASUS 2400	PEGASUS 2700
Weight in kg	910	930
Load capacity in kg	1490	1770
Total permissible weight in kg	2400	2700
Overall dimensions in mm (LxWxH)	4592 x 2235 x 2960	4592 x 2235 x 2960
Interior dimensions in mm (LxWxH)	3460 x 1710 x 2370	3460 x 1710 x 2370
Load height in mm	460	460
Tyres in inches	15	15
Braked	✓	✓
Number of transportable animals		
Towing vehicle Check		
Driving licence		
EquiDrive® chassis	●	-
EquiDrive® Plus chassis	-	●
EquiDrive® Plus S coil spring suspension	-	-
EquiSpace® concept	●	●
EquiGuard® panic release	●	●
Adjustable box rods (height and length)	●	●
AluBiComp floor ➤ 15 YEAR WARRANTY	●	●
EquiLock® partition wall	●	●
Saddle compartment (standard)	-	-
Saddle compartment w/ extendible saddle holder	●	●
Side kick plate	●	●
Side padding	○	○
Sliding window	-	○
Panoramic window	○	○
Front exit	-	-
GRP mudguard with LED lighting	-	-
Improved aerodynamics	●	●
Door with full passage height to the interior	●	●
Flat angle of entry (<14°)	-	-
Rotating and swivelling rear door	○	○
Colour selection for poly parts	●	●
Western Edition	-	-
Removable feeding troughs	●	●
LED interior lighting	●	●



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car
 Large car
 ● Standard equipment
 Medium car
 Pickup truck/Transporter
 ○ Optional
 → Minimum required Driving licence
 - Not available

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025

Style up your ride.

Your trailer –
individually configured

Premium horse trailers
top-of-the-range features,
generous space and lots of
cool design options



PECO

STYL



PEGASUS[®]



PEGASUS[®]

STYLE

Highlights at a glance



Favourite colour included

With the PEGASUS STLYE models, you can set colourful accents with your transport trailer. All polyester parts of the body can be chosen in a selection of RAL or metallic colours. You're sure **to find your favourite colour!**



Design and colour variety



More information can be found on
 > pages 116-119

Design creates space.

The modern, aerodynamically-oriented design of the polyester front ensures low air resistance. A positive side effect: the extra high saddle compartment. With an interior height of 2,370 mm, the **EquiSpace[®]** concept of the PEGASUS STYLE transport trailers provides plenty of headroom for the horse. Side step protection and the **EquiLock[®]** partition wall come as standard.



EquiSpace[®] concept



EquiLock[®] partition wall



The space miracle with professional features and custom design options



Safe on the Road.

Depending on the model, PEGASUS horse trailers have different **EquiDrive®** chassis variants which, combined with the trailer's low centre of gravity, ensure good traction and active driving safety. An additional safety feature is the **EquiGuard®** panic release, which ensures quick and easy opening of the chest and rear bars in case of emergency.



EquiDrive® PLUS S
coil spring suspension
available, see model overview



EquiGuard®
panic release



More information on the
Pegasus Style online

[humbaur.com/en/trailer/
horse-trailers/pegasus/pegasus-style](https://humbaur.com/en/trailer/horse-trailers/pegasus/pegasus-style)



PEGASUS®

STYLE

Features

STANDARD FEATURES

EquiDrive® chassis with wheel shock absorbers

The lockable saddle compartment also features a saddle holder, bridle holder, mirror, net, interior lighting, shovel and broom

Aerodynamic poly body

13-pin connector with reversing lights and fog lamp

Side kick plate

AluBiComp floor, 21 mm thick,

> 15 YEAR WARRANTY

Rubber floor, 8 mm stark, glued in and sealed

Solid, hot-dip galvanised all-round frame profile

Elegant, hot-dip galvanised rear support with integrated lighting

Full-height entrance and saddle compartment door with 3-point locking system

Access ramp with rubber floor and side stop

Height and length adjustable split and padded chest and breech bars with EquiGuard® panic release

EquiLock® lockable partition wall

Redesigned tinted vent windows that can be adjusted five ways

Interior lighting and hay net ring

Exclusive wind deflector for draught-free interior ventilation

Automatic jockey wheel, centre-mounted with manoeuvring handle

Poly hood in various metallic colours

100 km/h approval (Germany only)



Body

Full-poly body
(available in different colours)

Saddle compartment

Saddle compartment with extendable saddle holder



Space for two horses



EquiDrive® chassis



EquiSpace® concept



AluBiComp floor



EquiLock® partition wall



Extra-large saddle compartment



Extra large access doors



EquiGuard® panic release

Entry

Full-height access door with 3-point locking mechanism



Windows

Redesigned tinted vent windows that can be adjusted five ways



Interior walls

With side kick plate



Transport room features

2 suspended feed troughs, left and right side cushions, tinted hinged windows, interior lighting, hay net ring, wind deflector for draught-free interior ventilation



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 -0** or via email at **info@humbaur.com**

PEGASUS[®]

STYLE





Model overview



MODEL NAME	PEGASUS STYLE 2400	PEGASUS STYLE 2700
Weight in kg	925	945
Load capacity in kg	1475	1755
Total permissible weight in kg	2400	2700
Overall dimensions in mm (LxWxH)	4592 x 2235 x 2960	4592 x 2235 x 2960
Interior dimensions in mm (LxWxH)	3460 x 1710 x 2370	3460 x 1710 x 2370
Load height in mm	460	460
Tyres in inches	15	15
Braked	✓	✓
Number of transportable animals		
Towing vehicle Check		
Driving licence		
EquiDrive® chassis	●	–
EquiDrive® Plus chassis	–	●
EquiDrive® Plus S coil spring suspension	–	–
EquiSpace® concept	●	●
EquiGuard® panic release	●	●
Adjustable box rods (height and length)	●	●
AluBiComp floor ▶ 15 YEAR WARRANTY	●	●
EquiLock® partition wall	●	●
Saddle compartment (standard)	–	–
Saddle compartment w/ extendible saddle holder	●	●
Side kick plate	●	●
Side padding	○	○
Sliding window	–	–
Panoramic window	○	○
Front exit	–	–
GRP mudguard with LED lighting	–	–
Improved aerodynamics	●	●
Door with full passage height to the interior	●	●
Flat angle of entry (<14°)	–	–
Rotating and swivelling rear door	–	–
Colour selection for poly parts	●	●
Western Edition	–	–
Removable feeding troughs	●	●
LED interior lighting	●	●



More information on equipment
humbaur.com/en/trailer/horse-trailers/features

Small car
 Large car
 ● Standard equipment
 Medium car
 Pickup truck/Transporter
 ○ Optional
 → Minimum required Driving licence
 – Not available

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



AREIO

The new gold standard

Design and performance



AREION[®]

More room, more style,
more comfort: The new Humba
AREION is setting **new standards**
in terms of space, design elements
and practical features for **safety**
and **comfort**.

AREION[®]

Highlights at a glance




Space for freedom.

Create the maximum feeling of freedom for your horse. The **interior height of 2380 mm** and **interior width of 1720 mm** provide your animal with an enormous amount of space compared to other models in its class. The full-height access door and **convenient passage width** between the partition wall and **saddle compartment** ensure comfort for you as a rider.



Active driving safety.

The chassis was also redesigned specifically for horse transport and the horse's anatomy. The stable and torsion resistant substructure **guarantees optimal road holding and** ensures the longevity of the trailer.



More information on the Areion online
humbaur.com/en/trailer/horse-trailers/areion

With new, improved chassis design with stable and torsion-resistant substructure – developed for the anatomy of the horse



Western Edition.

The Western Edition of the AREION models makes the heart of all Western riders beat a little bit faster! The Western Edition with the matching **Western motif decal** on the side walls is not only a visual delight. The extendable **saddle holder on top** is especially adapted for western saddles.



WESTERN EDITION



AREION[®] PURE

Model features

STANDARD FEATURES

Poly front in aerodynamic rib design

Two-colour LED strips for optimum interior light distribution

Adjustable hay net holder

Extra-long fold-down exit ramp (1700 mm) with rubber step strip and side stop

Sturdy, hot-dip galvanised rear portal for improved rear visibility

Entrance door with full passage height

EquiDrive[®] Plus chassis with wheel shock absorbers (2400 kg)

Completely redesigned, highly robust and hot-dip galvanised chassis

The lockable saddle compartment also features an extendable saddle holder, bridle holder, mirror, net, interior lighting, shovel and broom

Entry and saddle compartment door with 3-point locking system

Constructed from double-walled, anodised aluminium profiles

AluBiComp floor, 21 mm thick,
> 15 YEAR WARRANTY

Rubber floor, 8 mm thick, glued in and sealed

Side kick plate

EquiLock[®] lockable partition wall

Height and length adjustable split and padded breast and breech bars with EquiGuard[®] panic release

Exclusive wind deflector for draught-free interior ventilation

Automatic jockey wheel, centre-mounted, with manoeuvring handle

13-pin connector with reversing lights and fog lamp

100 km/h approval (Germany only)



Space for two horses



EquiDrive[®] chassis



EquiSpace[®] concept



AluBiComp floor



EquiLock[®] partition wall




Extra large access doors



Extra-large saddle compartment



EquiGuard[®] panic release



AREION[®]

PURE WESTERN EDITION

ADDITIONAL FEATURES of the AREION Pure

- ⊕ Western decal on the side walls
- ⊕ Lockable saddle compartment **with extendable Western saddle holder**, bridle holder, mirror, net, interior light, shovel and broom



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humbaur.com**

AREION[®] PRO

Model features

STANDARD FEATURES

- ▬ Poly front in aerodynamic ribbed design
- ▬ Two-colour LED strips for optimum interior light distribution
- ▬ Adjustable hay net holder
- ▬ Extra-long fold-down exit ramp (1700 mm) with rubber step strip and side stop
- ▬ Sturdy, hot-dip galvanised rear portal for improved rear visibility
- ▬ Entrance door with full passage height
- ▬ Tailgate can be turned and swivelled
- ▬ EquiDrive[®] chassis with wheel shock absorbers (2700 kg)
- ▬ Completely redesigned, highly robust and hot-dip galvanised chassis
- ▬ The lockable saddle compartment also features an extendable saddle holder, bridle holder, mirror, net, interior lighting, shovel and broom
- ▬ Entry and saddle compartment door with 3-point locking system
- ▬ Constructed from double-walled, anodised aluminium profiles
- ▬ AluBiComp floor, 21 mm thick, **➤ 15 YEAR WARRANTY**
- ▬ Rubber floor, 8 mm thick, glued in and sealed
- ▬ Side kick plate
- ▬ EquiLock[®] lockable partition wall
- ▬ Height and length adjustable split and padded breast and breech bars with EquiGuard[®] panic release
- ▬ Exclusive wind deflector for draught-free interior ventilation
- ▬ Automatic jockey wheel, centre-mounted with manoeuvring handle
- ▬ 13-pin plug with rear and marker lights in LED design
- ▬ 100 km/h approval (Germany only)

Additional features for the AREION Pure model:

- Side padding, left and right
- Side sliding window
- Front wear mate
- Turning/swivelling tailgate
- 2700 kg total permissible weight



Many different colours and designs available.

➤ Pages 116 - 119



Space for two horses



EquiDrive[®] chassis



EquiSpace[®] concept



AluBiComp floor



EquiLock[®] partition wall




Extra large access doors



Extra large saddle compartment



EquiGuard[®] panic release



AREION[®]

PRO **WESTERN EDITION**

ADDITIONAL FEATURES of the AREION Pro

- ⊕ Western decal on the side walls
- ⊕ Lockable saddle compartment **with extendable Western saddle holder**, bridle holder, mirror, net, interior light, shovel and broom



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humbaur.com**

AREION[®] SHAPE

Model features

STANDARD FEATURES

Poly front in aerodynamic rib design

Two-colour LED strips for optimum interior light distribution

Adjustable hay net holder

Extra-long fold-down exit ramp with rubber step strip and side stop

Extra-long fold-down exit ramp (1700 mm) with rubber step strip and side stop

EquiDrive[®] chassis with wheel shock absorbers

Completely redesigned, highly robust and hot-dip galvanised chassis

The lockable saddle compartment also features an extendable saddle holder, bridle holder, mirror, net, interior lighting, shovel and broom

Entry and saddle compartment door with 3-point locking system

Constructed from double-walled, anodised aluminium profiles

AluBiComp floor, 21 mm thick,
> 15 YEAR WARRANTY

Rubber floor, 8 mm thick, glued in and sealed

Side kick plate

EquiLock[®] lockable partition wall

Height and length adjustable split and padded breast and breech bars with EquiGuard[®] panic release

Exclusive wind deflector for draught-free interior ventilation

Automatic jockey wheel, centre-mounted, with manoeuvring handle

13-pin connector with reversing lights and fog lamp

100 km/h approval (Germany only)

Additional features for the AREION Pure model:

> Bodykit Areion Shape
 (partial cladding at the top and front up to the frame, frame cladding is an accessory).



Space for two horses



EquiDrive[®] chassis



EquiSpace[®] concept



AluBiComp floor



EquiLock[®] partition wall




Extra large access doors



Extra-large saddle compartment



EquiGuard[®] panic release



AREION[®]

SHAPE **WESTERN EDITION**

ADDITIONAL FEATURES of the AREION Shape

- ⊕ Western decal on the side walls
- ⊕ Lockable saddle compartment **with extendable Western saddle holder**, bridle holder, mirror, net, interior light, shovel and broom



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!


Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humbaur.com**

AREION®

Model overview




MODEL NAME	AREION PURE 2400	AREION PRO 2700	AREION SHAPE 2400
Weight in kg	949	1049	989
Load capacity in kg	1451	1651	1411
Total permissible weight in kg	2400	2700	2400
Overall dimensions in mm (LxWxH)	4720 x 2222 x 2900	4720 x 2222 x 2900	4720 x 2222 x 2900
Interior dimensions in mm (LxWxH)	3550 x 1700 x 2380	3550 x 1700 x 2380	3550 x 1700 x 2380
Load height in mm	445	445	445
Tyres in inches	15	15	15
Braked	✓	✓	✓
Number of transportable animals			
Towing vehicle Check			
Driving licence			
EquiDrive® chassis	-	-	-
EquiDrive® Plus chassis	●	●	●
EquiDrive® Plus S coil spring suspension	-	-	-
EquiSpace® concept	●	●	●
EquiGuard® panic release	●	●	●
Adjustable box rods (height and length)	●	●	●
AluBiComp floor ➤ 15 YEAR WARRANTY	●	●	●
EquiLock® partition wall	●	●	●
Saddle compartment (standard)	-	-	-
Saddle compartment w/ extendible Saddle holder	●	●	●
Side kick plate	●	●	●
Side padding	○	●	○
Sliding window	-	●	○
Panoramic window	-	-	-
Front exit	○	○	○
GRP mudguard with LED lighting	-	-	-
Improved aerodynamics	●	●	●
Door with full passage height to the interior	●	●	●
Flat angle of entry (<14°)	●	●	●
Rotating and swivelling rear door	○	●	○
Colour selection for poly parts	○	○	○
Western Edition	-	-	-
Removable feeding troughs	●	●	●
LED interior lighting	●	●	●
Front wear mat	○	●	○



Model overview



MODEL NAME	AREION PURE WESTERN 2400	AREION PRO WESTERN 2700	AREION SHAPE WESTERN 2400
Weight in kg	949	1 049	989
Load capacity in kg	1 451	1 651	1 411
Total permissible weight in kg	2 400	2 700	2 400
Overall dimensions in mm (LxWxH)	4 720 x 2 222 x 2 900	4 720 x 2 222 x 2 900	4 720 x 2 222 x 2 900
Interior dimensions in mm (LxWxH)	3 550 x 1 700 x 2 380	3 550 x 1 700 x 2 380	3 550 x 1 700 x 2 380
Load height in mm	445	445	445
Tyres in inches	15	15	15
Braked	✓	✓	✓
Number of transportable animals			
Towing vehicle Check			
Driving licence			
EquiDrive® chassis	●	●	●
EquiDrive® Plus chassis	●	●	●
EquiDrive® Plus S coil spring suspension	-	-	-
EquiSpace® concept	●	●	●
EquiGuard® panic release	●	●	●
Adjustable box rods (height and length)	●	●	●
AluBiComp floor ➔ 15 YEAR WARRANTY	●	●	●
EquiLock® partition wall	●	●	●
Saddle compartment (standard)	-	-	-
Saddle compartment w/ extendible Western saddle holder	●	●	●
Side kick plate	●	●	●
Side padding	○	●	○
Sliding window	-	●	○
Panoramic window	-	-	-
Front exit	-	-	-
GRP mudguard with LED lighting	-	-	-
Improved aerodynamics	●	●	●
Door with full passage height to the interior	●	●	●
Flat angle of entry (<14°)	●	●	●
Rotating and swivelling rear door	○	●	○
Colour selection for poly parts	○	●	○
Western Edition	●	●	●
Removable feeding troughs	●	●	●
LED interior lighting	●	●	●
Front wear mat	○	●	○



More information on equipment

humba.com/en/trailer/horse-trailers/features

Small car Large car ● Standard equipment
 Medium car Pickup truck/Transporter ○ Optional
 B B96 BE ➔ Minimum required Driving licence - Not available

The information provided about towing vehicles and Driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features. Last updated 03/2025



Accessories and
spare parts



HUMBAUR
HORSE

Humbaur Horse

Want more.
Get more.
With a partner
you can rely on

A partner
that offers you more
– more for your horse,
more for you and
more for your ride.

RIDE ON




More than a trailer

For that
little bit
extra




Our range of accessories

INTERIOR EQUIPMENT



Kick plate for the saddle compartment



Head partition



Retractable Western-style saddle holder (optional)



Side kick plate (standard on some models)



Equiguard chest and tail bar



Wireless camera with monitor for indoor use, so you can always keep an eye on your horses

In addition to the **extensive standard equipment** for our trailers and vehicle bodies, we also offer a **wide selection of accessories to suit each model**. This means that you **can configure just the right** solution for your transport needs according to your individual requirements and grow alongside your transport requirements.

CLEANING



Rotating/swivelling tailgate



Side padding



Rubber buffer for tailgate



Rubber brush with scraper lip



Plastic shovel with metal handle



Retaining clip for broom HP



Black feeding trough

Order spare parts and accessories from your dealer now

humbaur.com/en/dealersservice/dealer-search



Go for it!

Our range of accessories

OPTICS AND STYLE



Two-tone alloy wheels (silver/black) to give the horse trailer an exclusive look (standard on some models)



STYLE UP YOUR RIDE
Design and colour variety

Humbaur offers you a wide range of colours for your full-poly trailer! You can also choose from a wide range of motifs and designs.

More information can be found on **> pages 116-119**

FOAL TRANSPORT



Foal grid



End-to-end box rod for transporting foals (standard on some models)

TRAILER MAINTENANCE TO RETAIN VALUE



Special GRP cleaner to retain the value of your all-poly trailer



Special GRP polish to retain the value of your all-poly trailer



Protective cover for the complete trailer with zips for the doors and ramp flap



Drawbar cover

Order spare parts and accessories from your dealer now

humbaur.com/en/dealersservice/dealer-search



Go for it!

Our range of accessories

LIGHT AND VENTILATION



Skylight



PVC tarpaulin blind (instead of wind deflector)



GRP wind flap with integrated third brake light (optional) for Xanthos®, Zephir® and Maximus®



LED interior light for saddle compartment



First class service

Expert advice when purchasing, rapid assistance when servicing is required and top-quality service when **installing accessories and spare parts** – all of this is guaranteed by our extensive network of service partners, sales partners and workshops. All over Europe!

Find your nearest dealer or service partner easily online via our search function:



Find your dealer or service partner now!
humbaur.com/en/dealersservice/dealer-search



DRIVING SAFETY



Wheel shock absorbers
(standard on some models)

Safety coupling with track stabilisation



Spare wheel (mounted)



**Order spare parts and accessories
from your dealer now**

humbaur.com/en/dealerservice/dealer-search



Go for it!



#Horsehacks



Humbaur
Horse

Want more.
Get more.
With a partner
you can rely on

A partner
that offers you more,
more for your horse,
more for you and
more for your ride.

RIDE
ON

A white silhouette of a horse rearing up on its hind legs, positioned within the letter 'N' of the 'RIDE ON' text.


The bonus of information

Good
to
know

Our service
for you

Everything about your trailer

First-hand expert knowledge



You can find these and many other topics and documents on our **Important Facts** page.



Everything you need to know about your trailer

humbaur.com/en/useful-information

Electrics with Humbaur trailers

All our trailers are equipped with safety lighting and a plug for the electrical system as standard.



Plug configuration

humbaur.com/en/useful-information/pin-assignment



Correctly attaching and detaching trailers

basics and step-by-step instructions



Correct attaching and detaching

humbaur.com/en/useful-information/coupling-correctly

humbaur.com/en/useful-information/uncoupling-correctly



What's the right way to clean my trailer?

The service life and functionality of a trailer depends on how often and how thoroughly the trailer is cleaned and serviced. The cleaning and maintenance intervals depend on how often you use your trailer, the environment it is used in and the extent of dirt build-up.



Cleaning your trailer
humbaur.com/en/useful-information/trailer-cleaning



Trailer maintenance

Good maintenance is half the battle.



Trailer maintenance
humbaur.com/en/useful-information/maintenancecare

Horse trailer floors compared

Which trailer floor guarantees safe transport for my horse?



Horse trailer floors
humbaur.com/en/useful-information/horse-trailer-floor



User manuals

Misplaced the user manual? No problem. Download all of our manuals as PDF files here.



User manuals
humbaur.com/en/dealersservice/downloads

STYLE LEVEL



BODY COLOUR
White



BODY COLOUR
Silver



BODY COLOUR
Anthracite



BODY COLOUR
Black



BODY COLOUR
Gold



BODY COLOUR
Red

BODY COLOUR
Orange



BODY COLOUR
Yellow

COLOURS

Style up your Ride!

With attractive colours and a variety of combination options– for the perfect appearance!



BODY COLOUR
Purple



BODY COLOUR
Pink



BODY COLOUR
Light pink

STYLE UP YOUR RIDE

Design and colour variety

Many more colours and options on request!



BODY COLOUR
Green



BODY COLOUR
Olive green



BODY COLOUR
Dark green



BODY COLOUR
Light green



BODY COLOUR
Turquoise



BODY COLOUR
Steel blue



BODY COLOUR
Gentian blue



DECOR
Black Gallop
 As shown approx. 1290 x 899 mm
 Small version approx. 543 x 415 mm



DECOR
Black Curly
 As shown approx. 1208 x 1000 mm
 Small version approx. 574 x 604 mm



DECOR
Design Step
 As shown approx. 1010 x 964 mm
 Small version approx. 456 x 433 mm



DECOR
Black Classic
 As shown approx. 1052 x 964 mm
 Small version approx. 508 x 467 mm



DECOR
Sky Jump
 As shown approx. 1580 x 932 mm
 Small version approx. 800 x 480 mm



DECOR
Lovely Gallop
 As shown approx. 916 x 960 mm
 Small version approx. 496 x 519 mm



DECOR
Rise
 As shown approx. 818 x 997 mm
 Small version approx. 498 x 611 mm



DECOR
Dressage Classic
 As shown approx. 1278 x 944 mm
 Small version approx. 593 x 439 mm



DECOR
Polo Win
 As shown approx. 851 x 947 mm
 Small version approx. 508 x 566 mm



DECOR
Western Slide
 As shown approx. 1074 x 838 mm
 Small version approx. 481 x 373 mm



DECOR
Western Big
 As shown approx. 1470 x 947 mm
 Small version approx. 635 x 408 mm



DECOR
Me and my Horse
 As shown approx. 869 x 927 mm
 Small version approx. 386 x 405 mm

DECOR



DECOR

Dressage

As shown approx. 716 x 734 mm
Small version approx. 365 x 374 mm



DECOR

Kind One

As shown approx. 705 x 916 mm
Small version approx. 374 x 490 mm



DECOR

Sweetheart

As shown approx. 926 x 875 mm
Small version approx. 463 x 437 mm



DECOR

Beauty

As shown approx. 824 x 888 mm
Small version approx. 418 x 449 mm



DECOR

Traditional

As shown approx. 1300 x 1805 mm
Small version approx. 345 x 454 mm



DECOR

Majesty

As shown approx. 1828 x 1776 mm
Small version approx. 419 x 329 mm

Style up your Ride!

Customise your horse trailer with interesting décor and, if you like, your horse's name!



BODY COLOUR

Light green

DECOR

Wings 2.X

As shown approx. 663 x 752 mm
Small version approx. 385 x 432 mm



BODY COLOUR

Pink

DECOR

Higher Ground

As shown approx. 1232 x 986 mm
Small version ca. 556 x 491 mm

RIDE ON



Download



You can also find the brochure
and much more online at
[humbaur.com/en/dealersservice/
downloads](https://humbaur.com/en/dealersservice/downloads)

Your Humbaur contact in your area



Do you have any questions about Humbaur horse trailers or would you like personalised advice? We look forward to hearing from you.

Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humbaur.com**

* Illustrations are similar. Our general terms of delivery and payment, which can be viewed at humbaur.com/agb, apply. Valid only for Germany. Subject to change without notice. Errors excepted. All information is provided without guarantee. Images: Humbaur GmbH, Adobe Stock Art. 009.00165 / Last updated 09/25