

# HongógStablesOURSTARSOURSTARSStablesStab

TOP features at cool prices!

Ξ

ж.

Sale offers only valid in Great Britain and Italy

Sale valid until 31/03/2024.

OLD FOI

humbaur.com







# PUR FERRO 📻

The PurFerro brand is known for its polyurethane foam core and steel outer layers. The combination of the outer layers and the rigid core means high load bearing capacity and rigidity. The core also delivers excellent thermal insulation. The polyurethane foam core is 100% CFC-free. The two steel outer layers have a polyester coating, which makes for a smooth surface. This means that the material is easy to clean and can also be painted or fitted with decals.





<image><complex-block><complex-block><image><image><image>



Need financing? We are happy to create a - custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!



# HK 13 26 14 - 18 PF 30 BASIC

### PurFerro single-axle sandwich box including cooling unit

OUR STRONG

### **TECHNICAL DETAILS**

HUMBAU

Interior dimensions $2,515 \times 1,330 \times 1,6$	
Total permissible weight	1,300 kg
Payload	769 kg
Loading height	535 mm

### FEATURES

- V drawbar, hot-dip galvanised
- 13-pin plug
- Base plate, 15 mm thick
- Sandwich structure made of PurFerro, 30 mm thick
- Single-hinge door at the rear
- Espagnolette lock and hinges made from stainless steel
- Jockey wheel
- Refrigeration unit



-83

### Accessories for the HK 13 26 14 - 18 PF30 Basic



Supports not mounted only €0\* -> w/o Additional charges, instead of €73\*



ERS

1 The entry-level model

at your party.

for the coolest drinks

Double-wing door only €299<sup>\*</sup> instead of €371<sup>\*</sup>



Insulated flooring, 30 mm



### \*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers.

All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to approximate information and to the standard vehicle without accessories No liability is assumed for any errors. Illustrations similar, some illustrations show special features. Version 02/2024 \_ V1



Need financing? We are happy to create a custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!



**HUMBAUR** 

**MAKES IT HAPPEN** 

COOLS RELIABLY UP TO

+5°C

Refrigeration

temperature adiustment range

+5°C to +10°C

Features

Sale valid until 31/03/2024

# HK 25 32 18 - 20 PF 30 BASIC

PurFerro tandem sandwich box including cooling unit

**OUR STRONG** 

### **TECHNICAL DETAILS**

HUMBAU

Interior dimensions	3,185 × 1,730 × 1,885 mm		
Total Total permissible weight	(kg)		
Payload	1,600 kg		
Loading height	600 mm		

### FEATURES

- V drawbar, hot-dip galvanised
- 13-pin plug
- Base plate, 18 mm thick
- Side walls made from 30-mm thick sandwich panel; steel outer layers, painted white
- Double-wing door at the rear
- Espagnolette lock and hinges made from stainless steel
- Jockey wheel
- Refrigeration unit



### Accessories for the HK 25 32 18 - 20 PF 30 Basic



Supports not mounted only €0\* -> w/o Additional charges, instead of €73\*



LERS

The tandem-axle trailer

for even more coolness

and even more drinks.

Sale valid until 31/03/2024

Insulated flooring, 30 mm

only €699\* instead of €1024\*



\*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers. All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to approximate information and to the standard vehicle without accessories No liability is assumed for any errors. Illustrations similar, some illustrations show special features. Version 02/2024\_V1



Need financing? We are happy to create a custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Sale offers only valid in Great Britain and Italy

**HUMBAUR** 

**MAKES IT HAPPEN** 

COOLS RELIABLY UP TO

+5°C

Refrigeration temperature adjustment range

+5°C to +10°C

016

# HGK 13 27 16 - 21 PF 60 DELUXE

OUR STRONG

**HGK Deluxe Single-Axle** 

HUMBAU

### **TECHNICAL DETAILS**

Interior dimensions	$2,630 \times 1,470 \times 1,970 \text{ mm}$
Total permissible weight	1,300 kg
Payload	510 kg
Loading height	590 mm

### FEATURES

- V drawbar, hot-dip galvanised
- 13-pin plug and reversing lights, interior light
- Insulated floor plate, 65 mm thick with anti-slip coating
- Side walls made from 60-mm thick sandwich panel;
  - steel outer layers, painted white
- Double-hinge cold room doors with emergency opening from the inside, lockable
- Hinges made from stainless steel
- Refrigeration unit
- Interior kick plate at sides and front, approx. 150 mm high and made from sheet aluminium
- 4 telescopic crank supports, swivelling
- Fully automatic jockey wheel





### \*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers.

All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to approximate information and to the standard vehicle without accessories No liability is assumed for any errors. Illustrations similar, some illustrations show special features. Version 02/2024 \_ V1



Need financing?
We are happy to create a
custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!



**HUMBAUR** 

**MAKES IT HAPPEN** 

COOLS RELIABLY

UP TO

+5°C Refrigeration

temperature adjustment range +5°C to +10°C DELUXE DELUXE ALT TE INSULAT COM FOR LONGE

015

eatures

Sale valid until 31/03/2024

ERS

🔣 Stay cool – even over

longer distances: Drinks,

flowers, packaged food

By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

### Page 5 of 8

# HGK 25 32 18 - 21 PF 60 DELUXE

OUR STRONG

HGK Deluxe Tandem

HUMBAU

### **TECHNICAL DETAILS**

Interior dimensions	$3,130 \times 1,670 \times 1,970 \text{ mm}$
Total Total permissible weight	2,500 kg
Payload	1,463 kg
Loading height	590 mm

### FEATURES

- V drawbar, hot-dip galvanised
- 13-pin plug and reversing lights, interior light
- Insulated floor plate, 65 mm thick with anti-slip coating
- Side walls made from 60-mm thick sandwich panel;
  - steel outer layers, painted white
- Double-hinge cold room doors with emergency opening from the inside, lockable
- Hinges made from stainless steel
- Refrigeration unit
- Interior kick plate at sides and front, approx. 150 mm high and made from sheet aluminium
- 4 telescopic crank supports, swivelling
- Fully automatic jockey wheel





LERS

eatures

Sale valid until 31/03/2024

COLULAT
CALCULAT
COLULAT
Only €10,890\*
instead of €13,160



With telescopic crank support

**HUMBAUR** 

**MAKES IT HAPPEN** 

COOLS

RELIABLY UP TO

+5°C Refrigeration

temperature adjustment range

+5°C to +10°C

016

### \*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers.

All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to approximate information and to the standard vehicle without accessories No liability is assumed for any errors. Illustrations similar, some illustrations show special features. Version 02/2024 \_ V1



Need financing? We are happy to create a custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!

Sale offers only valid in Great Britain and Italy

By phone at **0821/24 929 - 0** or by email vertrieb@humbaur.com

Page 6 of 8

# OUR STRONG COOL &



eatures

## TK 253218 - 24 PF 80

Tandem freezer box trailer

### **TECHNICAL DETAILS**

Interior dimensions	$3,\!080\times1,\!630\times2,\!225~\text{mm}$
Total Total permissible weight	2,500 kg
Payload	1,422 kg
Loading height	610 mm

### FEATURES

- V drawbar, hot-dip galvanised
- 13-pin plug and reversing lights, interior light
- Insulated floor plate, 85 mm thick with anti-slip coating
- Side walls made of PurFerro sandwich panels, 80 mm thick
- Steel outer layers on the inside, food-grade coating, painted white
- Double-leaf doors 85 mm thick with refrigeration compartment closure, lockable
- Hinges made from stainless steel
- Interior kick plate at sides and front; approx. 150 mm high and made from sheet aluminium
- including Govi 2000 P refrigeration unit
- Jockey wheel

### Units

Refrigeration temperature adjustment range -20 °C to +10 °C Max. operating temperature 40°C Power supply 230 V - 1<sup>~</sup>- N - 50 Hz

Noise generation 60 dB Refrigerant R452A

Model	2000P	
Refrigeration capacity at -20°C	1500 W	
Refrigeration capacity at 2°C	2050 W	
Refrigeration capacity at 10°C	2800 W	
Power consumption at -20°C	1000 W	
Power consumption at 2°C	1200 W	
Power consumption at 10°C	1250 W	
Evaporator air volume 1100 m		

### \*Recommended sale price incl. legally required VAT, plus freight costs and vehicle papers.

All prices are non-binding price recommendations of the manufacturer. Only at participating merchants. The technical data refers to approximate information and to the standard vehicle without accessories No liability is assumed for any errors. Illustrations similar, some illustrations show special features. Version 02/2024 \_ V1



Need financing? We are happy to create a custom financing offer!



Do you have any questions, or would you like a personal consultation? We look forward to hearing from you!



Whether real meat, meat substitutes

in a safe and hygienic way.

or ice cream – transport frozen food

COOLS RELIABLY UP TO -20°C Refrigeration temperature adjustment range -20 °C to +10 °C

**HUMBAUR** 

**MAKES IT HAPPEN** 

Maximum insulation!

only



instead of €19,928\*



### COOL & CO

MODEL DESIGNATION	HK 132614 - 18 PF30 Basic Single axle sandwich PurFerro incl.Colling unit	HK 253218 - 20 PF 30 Basic Tandem axle sandwich PurFerro inlc. cooling unit +5°C to +10°C	HGK 132716 - 21 PRADEL DE Deluxe HGK Deluxe	HGK 253218 - 21 PF60 Beluxe HGK Deluxe Tandem	<b>TK 253218 - 24 PF80</b> Tandem Axle-Freezer Trailers
Net weight in kg	↓+5°C to +10°C	2.500	1.300 Net weight	•	2.500
Capacity in kg	769	1.600	510 Capacity in		1.422
Perm. total weight in kg	1.300	2.500	1.300 Perm. total	2.500	2.500
Outer dimensions in mm (LxWxH)	3.920 x 1.845 x 2.300	4.640 x 2.275 x 2.580	4.135 x 2.050 x 2.680 ter dimer	4.650 x 2.275 x 2.680	4.650 x 2.275 x 2.960
Inner dimensions in mm (LxWxH)	2.515 x 1.330 x 1.685	3.185 x 1.730 x 1.885	2.630 x 1.470 x 1.9 <b>ħ</b> 0ner dimen	3.130 x 1.670 x 1.970	3.080 x 1.630 x 2.225
Load height in mm	535	600	590 Load height	590	610
Tyres in inches	14	15	15 Tyres in incl	15	15
Braked	<b>√</b>	1	√ Braked	V	4
			Tipable		

Your Humbaur contact in your area

Do you have any questions about this or another trailer from our range or would you like a personal consultation? We look forward to hearing from you.

Contact us by phone on **+49 (0)821 24 929 - 0** or via email at **info@humbaur.com** 

 \* Illustrations are similar. Our general terms of delivery and payment, which can be viewed at humbaur.com/agb, apply.
Valid only for Germany. Subject to change without notice. Errors excepted.
All information is provided without guarantee.
Images: Humbaur GmbH, Adobe Stock, Version 02/24 V1

Valid until 31/03/2024